

paperfloc eco-System P15 (frozen shipping)



We use **paper** as a sustainable raw material alternative and emit **95% less CO₂** in the production of **paperfloc** than comparable EPS packaging.



Upcycling: We use unmixed production waste from cardboard manufacturing, which already consists of 89% recycled material.



paperfloc is 100% recyclable.

Technical data | paperfloc eco-System P15 (frozen shipping)

Useable volume (litre)	15
Weight (g)	1,555
Thermal conductivity λ (W/(m·K))	0.039
Disposal	Paper waste
Certificate of conformity	Available

paperfloc eco-Pouch P15 (frozen shipping)

Item number	10000540
Insulation material	loose cellulose fibres
Enveloping material	Barrier paper
Size* (L x W; mm)	600 x 400
Weight (g)	1,020
Percentage of LDPE per Pouch (%)	<3
Quantity per packing unit	104
Quantity per pallet	208


Shipping box 15

Item number	10000081
Useable size (L x W x H; mm)	442 x 352 x 200
Weight (g)	535
Construction	Fefco 0201
Quality	BE
Quantity per pallet	440



*Delivery takes place as a liner for self-bonding, see **assembly instructions**:

Climate chamber test*



— Environmental temperature
— Marking -18°C
— Core temperature paperfloc eco-System P15 (frozen shipping)

*Performance of the test with the paperfloc eco-System P15 (DF) (consisting of paperfloc eco-Pouch P15 (DF) & shipping box 15, filled with 3,000 g dry ice in Dry Ice Extender & 2,000 g useful material)